

MS346094

GC RELINE BONDING AGENT MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

MANUFACTURER

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.

Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: GC RELINE BONDING AGENT

CHEMICAL NAME: N.A.

PRODUCT USE: To increase the bonding strength between the denture and the relining material.

The following information is provided with regard to the toxicity and hazards of the pure components present in this product.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%	
Methyl methacrylate	80-62-6	TWA:100ppm	LD50 = 7.9g/kg	55-65	
		(ACGIH)	(oral rat)		
			LC50 = 3750 ppm 4 hr.		
Acetone	67-64-1	TWA: 750ppm	LD50 = >6000 mg/kg	25-30	
			(oral rat)		
			LC50 = NA		
2-hydroxyethyl	868-77-9	N.E.	N.E.	5-10	
Methacrylate					

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: 100° CSPECIFIC GRAVITY (H2O = 1):0.939VAPOR PRESSURE:233 hPa@20°CMELTING POINT:N.E.DENSITY: $0.95000 \text{ g/cm}^3 @20^{\circ}$ CEVAPORATION RATE:N.E.

SOLUBILITY IN WATER: Not miscible or difficult to mix

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E.

ODOR THRESHOLD: <1ppm as Methyl methacrylate

Yellow tint liquid, unpleasant odor.

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: $10^{\circ}\mathrm{C}$ FLAMMABLE LIMITS: UEL: N.E. LEL: N.E.

EXTINGUISHING MEDIA: Foam, sand, dry chemical, CO₂. Do not use water.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS: May emit toxic fumes under fire conditions.

HAZARDOUS COMBUSTION PRODUCTS OR DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and smoke.

Decomposes with heat.

SECTION 5 - REACTIVITY DATA

STABILITY: Stable Unstable Unstable Will Occur Will Occur

CONDITIONS TO AVOID: Avoid high heat and ignition sources

INCOMPATIBILITY (Materials to Avoid): oxidizing agents and reducing agents



GC RELINE BONDING AGENT

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

Page 2 of 2

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER	X							

ROUTES OF ENTRY: Inhalation $oxed{\boxtimes}$ Skin $oxed{\boxtimes}$ Ingestion $oxed{\boxtimes}$

HEALTH HAZARD (Acute and Chronic): May cause moderate eye irritation. May cause skin irritation. Ingestion causes irritation to the mouth, throat and G.I. tract and abdominal pain. Inhalation: high concentration can be irritating to respiratory tract and may cause dizziness, headache and anesthetic effects.

CHRONIC INFORMATION: Prolonged and/or repeated exposure may lead to kidney, lung, liver and heart damage.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Nausea, dizziness and headache

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Progressive steps of inhalation overexposure: headache, dizziness, nausea, staggering gait, confusion, unconsciousness.

EMERGENCY FIRST AID PROCEDURES:

MS346094

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

INGESTION: If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

SKIN: In case of contact, immediately wash skin with soap and water. Wash contaminated clothing before reuse.

EYES: In case of contact, flush eyes with copious amounts of water for at least 15 minutes. Call a physician.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) and place in closed containers for disposal. Wash spill site after material pickup is complete.

WASTE DISPOSAL METHOD: Material is a hazardous waste, No. U162. Dispose of waste in facility permitted for hazardous waste in accordance with local, state and federal regulations.

STORAGE, **HANDLING**, **AND SPECIAL PRECAUTIONS**: Store in cool dry place. Keep away from heat and open flame. Do not expose to direct sunlight.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Wear appropriate NIOSH/MSHA - approved air purifying respirator. **VENTILATION:** Use ventilation that is adequate to keep airborn concentrations below exposure limits.

PROTECTIVE GLOVES: Chemical resistant gloves

EYE PROTECTION: Safety goggles/glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash station/Safety shower

WORK/HYGIENIC PRACTICE: Observe good hygienic practices. Avoid contact with skin, eyes and clothing.

SECTION 9 - PREPARATION INFORMATION

This data	is supplied to	comply with	ı OSHA Hazard	Communication	Standard 29 Cl	FR 1910.1200 a	nd W.H.M.I.S.	CPR

DATE: 01 March 2006 **REVISED:** 28 May 2008

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

The information herein is given in good faith. No warranty expressed or implied is made.

NFPA

FIRE – 4 TOXICITY – 2

REACTIVITY - 3

SPECIAL - P